

Neural correlates of referential processing: Event-related potentials for ambiguity versus resolution

Les Sikos, Harm Brouwer, and Matthew W. Crocker

Department of Language Science and Technology, Saarland University, Germany · Cluster of Excellence MMCI, Saarland University, Germany

Introduction

- Successful language comprehension involves establishing reference
- Referential ambiguities (1a) have most commonly been shown to elicit a sustained negativity (**Nref effect**) relative to controls (1b) [1-3]
 - 1a. *David shot at John as he...* 1b. *David shot at Linda as he...*
- Greater ambiguity due to contextual bias (as measured by offline referential Cloze task) is associated with larger amplitude Nref effects [4]
- Previous work has also found substantial individual differences in ERP responses to referential ambiguity, with some participants showing a late positive component (**LPC effect**) instead of Nref effects [5-6]
- ERP effects of ambiguity can persist for 1 second or more beyond the point of disambiguation [3], and to date no ERP marker of successful reference resolution has been reported (but see [7])




Figure modified from [3]. Top: Difference waves (ambiguity-control) for participants that show Nref effects (left) versus LPC effects (right). Bottom: Corresponding scalp distributions within indicated time windows.

Research Questions

- Do Nref and LPC effects in such contexts simply index referential ambiguity, or are they sensitive to the *degree* of ambiguity (i.e., to referential entropy)?
 - 3ref > 2ref > 1ref
- Can we detect an ERP correlate for successful reference resolution?

References

1. Van Berkum, Brown & Hagoort. (1999). *JML*.
2. Van Berkum, Brown, Hagoort & Zwartsloot. (2003). *Psychophysiology*.
3. Van Berkum, Koornneef, Otten & Nieuwland. (2007). *Brain Research*.
4. Nieuwland & Van Berkum. (2006). *Brain Research*.
5. Nieuwland & Van Berkum. (2008). *Brain and Language*.
6. Sikos, Tomlinson, Heins & Grodner. (in prep.).
7. Brodbeck, Gwilliams & Pylikkanen. (2015). *Frontiers in Psychology*.
8. Brouwer, Fitz & Hoeks. (2012). *Brain Research*.
9. Burkhardt. (2007). *NeuroReport*.

Methods

Participants

- 30 right-handed native German speakers (24 female)
- Mean age: 24.0 (range 19 to 31)

Design

- Each experimental item paired a question (Figure 1, top) with three visual displays (1-ref, 2-ref, 3-ref) which manipulated referential entropy
- Filler conditions (F1, F2, F3) paired a different question (Figure 1, bottom) with the same displays to ensure a 50% likelihood that either object type (e.g., ball or overnitted) would be the target on any given trial
- 120 trials in total
- 6 counterbalanced lists (Latin Square design)




Figure 1. Example Stimulus. Experimental question (top) and Filler question (bottom). Target words underlined.

Trial Procedure

- Participants previewed displays (self-paced, min 3000 ms)
- Participants then maintained fixation while a Yes/No question was presented visually, word by word, in center of screen (SOA: 500 ms, ISI: 100 ms)
- Objects remained visible peripherally during trial to minimize working memory load
- Feedback was given after each response (Correct, Incorrect)

EEG Recording and Analysis

- 26-channel actiCAP, BrainAmps DC amplifier (Brain Products)
- Bandpass filter: 0.03-40 Hz
- Re-referenced to average mastoids
- ERPs analyzed separately at onset of noun (e.g., *ball*) and disambiguation (e.g., *dotted*) within 500-1000 ms window

Results and Discussion

Behavioral Results

Participants were highly accurate resolving the correct referent ($M = 0.98$)


Accuracy					
1-ref	2-ref	3-ref	f1	f2	f3
0.99	0.98	0.98	0.99	0.95	0.99

Individual Differences in ERP Response

- Consistent with [5], examination of single-subject ERP effects revealed individual differences in whether ambiguous anaphors elicited an Nref effect or LPC effect relative to unambiguous controls
- Participants were divided into two groups based on the sign of mean difference between ambiguity and control at posterior channels (500-1600 ms) for each subject

Statistical Results

	Ambiguity Effects		Resolution Effects	
	Cond	Cond x AP	Cond	Cond x AP
All	2-1	n.s.	.048**	.000***
	3-1	n.s.	.003**	.000***
	3-2	n.s.	.068	n.s.
Nref group	2-1	.008**	.011*	.000***
	3-1	.002**	.018*	.003**
	3-2	n.s.	n.s.	n.s.
LPC group	2-1	.003**	n.s.	.004**
	3-1	.002**	n.s.	.062*
	3-2	n.s.	.058	n.s.



Ambiguity Effects

- Regardless of which ambiguity effect was elicited, both 2ref and 3ref conditions elicited an ambiguity response relative to controls
- However, the magnitude of these effects did not reliably differ between 2ref and 3ref conditions
- This pattern of results suggests that electrophysiological responses to referential ambiguity—whether Nref or LPC—are not sensitive to the degree of ambiguity per se, but instead index ambiguity itself

Resolution Effects

- Disambiguation was associated with similar magnitude, widely distributed positivities for both ambiguity conditions relative to control
- This finding is consistent with previous work showing P600 effects for updating the mental representation of what is being communicated [8-9]

Conclusions

- These results help inform our understanding of referential processing and serve to constrain future computational models of such processing

Next Steps

- We are currently running linguistic version

Figure 2. ERP Results. Difference waves (filtered for presentation purpose only: 5 Hz high cut-off, 48 dB/oct) and corresponding scalp distributions within 500-1000 ms time window.