Speech Science

WiSe 2023

Respiration, Phonation, Voice Quality Nov 16, 2023



Bernd Möbius & Omnia Ibrahim

Language Science and Technology Saarland University



Speech production

- Functional model of speech production
 - Respiration, respiratory system (breathing)
 - *Phonation*, voicing produced by vocal fold vibration
 - Articulation, speech sound formation by means of active and passive articulators



Speech production organs [Reetz 1999, p. 101]





Respiration: no air, no fun(etics)



By Kapwatt at English Wikipedia, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=74891988



Respiration: no air, no fun(etics) [Reetz 1999, p. 108]



quiet breathing:40% inhale, 60% exhalespeaking:10% inhale, 90% exhale



Respiration: no air, no fun(etics) [Clark et al. 2007, p. 176]



Figure 6.4.7 Respiration and associated muscle activity during speech Adapted from: Ladefoged 1967, p. 12.



Airstream mechanisms

- Airstream: origin and direction
 - pulmonic airstream, by means of lung activity
 - egressive: most speech sounds
 - ingressive: paralinguistic functions only
 - glottal airstream, by means of laryngeal activity
 - egressive: ejectives; closed glottis, raised larynx
 - ingressive: implosives; closed glottis, lowered larynx
 - velic airstream, by means of velic closure
 - egressive: pops; attested only with paralinguistic function
 - ingressive: clicks; linguistic and paralinguistic functions
 - (what is: egressive-esophageal?)



Phonation

- Phonation
 - production of quasi-periodic excitation signal by means of (regular) vocal fold vibration
 - based on egressive pulmonic airstream
- Voiced vs. voiceless speech sounds
 - speech sounds produced with vs. without vocal fold vibration
- Fundamental frequency (F₀)
 - rate or frequency of vocal fold vibration
 - measured in Hz (number of vibrations per second)
 - perceived as pitch



Larynx (1)







Larynx (2)





Larynx: structure

- Larynx comprises 5 cartilages
 - flexible position w.r.t. each other
 - held together by membranous tissue
- Cricoid (Ringknorpel)
 - Iowest component of larynx
 - cartilaginous part of trachea (windpipe)
- Thyroid (Schildknorpel), pair of cartilages
 - pair of cartilages connecting at the front ("Adam's apple")
 - protects vocal folds from external physical impact from front
 - controls vocal fold tension by tilting w.r.t. cricoid
- Arytenoid (Stellknorpel), pair of cartilages
 - move w.r.t. cricoid by sliding and rotation
 - controls position (adducted vs. abducted) of vocal folds



Variable glottis area

True Vocal Cords (= "Folds" or "Ligaments")



(a) Vocal folds in closed position; closed glottis

(b) Vocal folds in open position; open glottis



Vocal folds

- Vocal folds
 - pair of ligaments, attached at inferior edge of thyroid angle and at anterior part of arytenoid cartilages
- Glottis
 - opening between vocal folds
 - Iength of glottis edges: males 17-22 mm, females 11-16 mm
- Intrinsic larynx muscles
 - between laryngeal cartilages
 - control abduction (opening), adduction (closing), and tension of vocal folds
- Extrinsic larynx muscles
 - control overall (mainly vertical) movement of larynx



Video demos

- Structure of the larynx
 - https://www.youtube.com/watch?v=b89RSYCaUBo
- Phonation
 - https://www.youtube.com/watch?v=Aoa_N1vQS4M
- Video stroboscopy of vocal fold vibration
 - https://www.youtube.com/watch?v=mJedwz_r2Pc



Aerodynamic-myoelastic theory

- Aerodynamic-myoelastic theory of phonation [van den Berg 1958]
 - glottis closed, expiration airstream builds up subglottal pressure
 - vocal folds opening, speeded airflow through glottis
 - pressure drop (Bernoulli effect)
 - pressure reduction sucks vocal folds together
 - process assisted by elasticity of vocal folds
 - production of voicing by (quasi-)periodic train of air pulses



Glottal vibration cycle





closed phase: 1–3, 8–10 open phase: 4–7



Phonation – acoustics - perception

- Phonation \rightarrow acoustics
 - F0 = lowest frequency component of a complex periodic signal
 - speech signal results from shaping, or filtering, the excitation signal by varying the geometry of the vocal tract
- Phonation \rightarrow perception
 - rate of vocal fold vibration \rightarrow perceived pitch
 - subglottal pressure \rightarrow perceived loudness
 - phonation type \rightarrow perceived voice quality



Phonation types and voice qualities





Breathy voice (behaucht): voice with soft noise components, moderate vocal fold tension, glottis never completely closed



Creaky voice (knarrend): low voice without noise components, small front opening of vocal folds, irregular vocal fold vibration



- Falsetto voice (falsetto): high adductive vocal fold tension, narrowing of vocal folds, reduced vibrating mass, high frequency
- Whisper (flüsternd): strong frication without phonation, moderate vocal fold tension, open "whisper triangle" between arytenoids
- Voicelessness (stimmlos): no glottal voice source, glottis wide open along entire length of vocal folds



Phonation types and voice qualities





Glottal excitation signal

Lx signal, recorded by electroglottography (EGG, laryngograph)





Laryngograph (Electroglottograph)





Laryngealization



Figure 1 Patterns of aperiodic glottal vibration



- John Clark, Colin Yallop, Janet Fletcher (2007): An Introduction to Phonetics and Phonology. Blackwell.
- Peter Ladefoged (1967): Three Areas of Experimental Phonetics.
 Oxford University Press.
- Henning Reetz (1999): Artikulatorische und akustische Phonetik.
 Wissenschaftlicher Verlag, Trier.
- Janwillem van den Berg (1958): "Myoelastic-aerodynamic theory of voice production". Journal of Speech and Hearing Research 1, 227-244.
- Hartwig Eckert, John Laver (1994): Menschen und ihre Stimmen.
 Beltz PVU. [demos on accompanying Audio CD]
- John Laver (2009): The Phonetic Description of Voice Qualities. Cambridge University Press.





Thanks!

